AUTHOR INDEX TO VOLUME 140

Aarts, J.F.M., see H. van Lonkhuyzen 140 (1987) 434
Ameloot, M., see H. van Langen 140 (1987) 394
Amos, A.T., see J.C. Kettley 140 (1987) 286
Anderson, A., S. DeMoor and R.C. Hanson, Raman study of a new high pressure phase of hydrogen sulfide 140 (1987) 471
Anderson, S.G., see S.L. Howard 140 (1987) 385
Andrews, L., see S. Suzer 140 (1987) 300
Angerhofer, A., see J. Ullrich 140 (1987) 416
Aoyagi, K., see K. Fukui 140 (1987) 15
Aramburu, J.A., M. Moreno and A. Bencini, Charge-transfer transitions in $CuCl_4^{2-}$ and $CuBr_4^{2-}$ complexes: dependence on the metal–ligand distance 140 (1987) 462
Atkinson, G.H., see J.A. Koningstein 140 (1987) 154
Ault, B.S., see N.P. Machara 140 (1987) 411

Bailly, D., C. Rossetti and G. Graner, Unexpected frequency shifts and linewidth changes for rovibrational lines in the infrared emission spectra of CO_2 excited by active nitrogen 140 (1987) 381
Barigelletti, F., Effect of temperature on the photophysics of rhodamine 101 in a polar solvent 140 (1987) 603
Barnes, I., see D. Martin 140 (1987) 195
Barnes, I., V. Bastian, K.H. Becker and H. Niki, FTIR spectroscopic studies of the CH_3S+NO_2 reaction under atmospheric conditions 140 (1987) 451
Bastian, V., see I. Barnes 140 (1987) 451
Becker, K.H., see D. Martin 140 (1987) 195
Becker, K.H., see I. Barnes 140 (1987) 451
Belmajdoub, A., J. Brondeau, J.C. Boubel and D. Canet, Slow motions undergone by surfactant molecules in micelles. A ^{1}H and ^{14}N nuclear magnetic relaxation study 140 (1987) 389
Bencini, A., see J.A. Aramburu 140 (1987) 462
Benson, J.M., I. Novak and A.W. Potts, Shape resonance in the 4d ionization of the molecular caesium halides 140 (1987) 311
Bertel, E., see G. Rosina 140 (1987) 200
Bertrand, P., The contributions to the electronic factor in bridge-assisted electron transfer processes 140 (1987) 57
Bilmes, G.M., see L. Scaffardi 140 (1987) 163
Bixon, M., J. Jortner, M.E. Michel-Beyerle, A. Ogrodnik and W. Lersch, The role of the accessory bacteriochlorophyll in reaction centers of photosynthetic bacteria: intermediate acceptor in the primary electron transfer? 140 (1987) 626
Blom, C.E., K. Möller and R.R. Filgueira, Gas discharge modulation using fast electronic switches: application to HeH^+ 140 (1987) 489
Blum, L., see P.P. Schmidt 140 (1987) 370
Bodenhausen, G., see S. Wimperis 140 (1987) 41
Bollinger, J.-C., R. Faure, T. Yvernault and D. Stahl, On the existence of the protonated hydronium dication H_4O^{2+} in sulfolane solution 140 (1987) 579

Bondarenko, E.A., see E.T. Verkhovtseva 140 (1987) 181
Boubel, J.C., see A. Belmajdoub 140 (1987) 389
Boyle, M.E., see B.E. Williamson 140 (1987) 483
Braun, W. and T.J. Wallington, A detailed energy transfer mechanism in pentafluorobenzene/argon mixtures 140 (1987) 441
Brearley, A.M., R.C. Patel and D.B. McDonald, Geminate ion–electron recombination kinetics in non-polar liquids by time-resolved fluorescence 140 (1987) 270
Brondeau, J., see A. Belmajdoub 140 (1987) 389
Brunvoll, J., see S.J. Cyvin 140 (1987) 124
Bulska, H., see J. Sepioł 140 (1987) 607

Callis, P.R., see A.A. Rehms 140 (1987) 83
Campion, A., see X. Jiang 140 (1987) 95
Canet, D., see A. Belmajdoub 140 (1987) 389
Carlson, R.J. and J.C. Wright, Perturbative description of extra resonances in CARS 140 (1987) 101
Carrington Jr., T., L. Halonen and M. Quack, Fermi resonance in CHX_3: a Hamiltonian in symmetrized curvilinear internal coordinates 140 (1987) 512
Carter, S., see J. Senekowitsch 140 (1987) 375
Castaño, O., see P. Karadakov 140 (1987) 367
Catenaccio, A., see H. Mechetti 140 (1987) 189
Causà, M., R. Dovesi, C. Roetti, E. Kotomin and V.R. Saunders, A periodic ab initio Hartree–Fock calculation on corundum 140 (1987) 120
Cederbaum, L.S., see J. Kucar 140 (1987) 525
Chandler, D., Comment on "A new RISM integral equation for solvated polymers" 140 (1987) 108
Clift, N.M. and N.G. Parsonage, Monte Carlo studies of two-dimensional commensurate–incommensurate transitions 140 (1987) 572
Clouter, M.J., see A.R.W. McKellar 140 (1987) 117
Courtieu, J., N.T. Lai and L. Werbelow, Creation of multiquantum coherences from equilibrium spin systems 140 (1987) 565
Cristinziano, P. and F. Lelj, A molecular dynamics study of associations in solution. An *NPT* simulation of the urea dimer in water 140 (1987) 401
Cyvin, B.N., see S.J. Cyvin 140 (1987) 124
Cyvin, B.N., see S.J. Cyvin 140 (1987) 124

De Boer, E., see G. Zwanenburg 140 (1987) 11
De Melo, C.P. and R. Silbey, Non-linear polarizabilities of conjugated chains: regular polyenes, solitons, and polarons 140 (1987) 537
DeMoor, S., see A. Anderson 140 (1987) 471
Dixon, R.N. and R.P. Tuckett, The sign of the spin–orbit coupling constant in $(t_2)^5\ ^2T_2$ states of MX_4^+ ions 140 (1987) 553
Dohlus, R., see H. Graener 140 (1987) 306
Domcke, W. and H. Köppel, Model calculation on the pump–probe measurement of ultrafast electronic population decay in polyatomic molecules 140 (1987) 133
Doronin, Yu.S., see E.T. Verkhovtseva 140 (1987) 181
Dovesi, R., see M. Causà 140 (1987) 120
Drummond, C.J., F. Grieser and T.W. Healy, Effect of electrolyte on the mean interfacial solvent and electrostatic characteristics of cationic micelles 140 (1987) 493

Durup, J., see F.X. Gadéa 140 (1987) 110

Eckhardt, C.J., see M.E. Morrow 140 (1987) 263
Elsaesser, T. and B. Schmetzer, Excited-state proton transfer in 2-(2′-hydroxyphenyl)benzothiazole: formation of the anion in polar solvents 140 (1987) 293
Eyal, M., R. Reisfeld, A. Schiller, C. Jacoboni and C.K. Jørgensen, Energy transfer between manganese(II) and thulium(III) in transition-metal fluoride glasses 140 (1987) 595

Faure, R., see J.-C. Bollinger 140 (1987) 579
Ferretti, A. and N.K. Rahman, Coupled logistic maps in physico-chemical processes: coexisting attractors and their implications 140 (1987) 71
Filgueira, R.R., see C.E. Blom 140 (1987) 489
Flores, J.R., A. Largo-Cabrerizo and J. Largo-Cabrerizo, A theoretical study of SiC_2^+ 140 (1987) 26
Francisco, J.S., Z. Li and I.H. Williams, Dissociation dynamics of the trifluoromethoxy radical 140 (1987) 531
Freed, J.H., see S.B. Rananavare 140 (1987) 255
Friedrich, B., see S.L. Howard 140 (1987) 385
Frost, R.J. and I.W.M. Smith, Combining transition state theory with quasiclassical trajectory calculations: application to the nitrogen exchange reaction $N+N_2(v)$ 140 (1987) 499
Fujii, M., see T. Kakinuma 140 (1987) 427
Fujimura, Y., see S. Sato 140 (1987) 169
Fujimura, Y., K. Honma and O. Kajimoto, Reaction between electronically excited species: $O(^1D_2)+NO^*_2 \rightarrow NO(A)+O_2$ 140 (1987) 320
Fukuda, K., see Y. Iino 140 (1987) 76
Fukui, K., H. Ohya-Nishiguchi, N. Hirota, K. Aoyagi and H. Ogoshi, Magnetic properties of a penta-coordinated high-spin cobalt(II) complex: acetate-N-methyloctaethylporphyrinato–cobalt(II) 140 (1987) 15
Futrell, J.H., see S.L. Howard 140 (1987) 385

Gadéa, F.X. and J. Durup, On the fine-structure dependence of the Cs(7p, $^2P^0_{1/2,3/2)}+H \rightarrow CsH+H$ reaction cross section, Chem. Phys. Letters 138 (1987) 43. Erratum 140 (1987) 110
Gallhuber, E., see H. Yersin 140 (1987) 157
Gillies, C.W., see J. Zozom 140 (1987) 64
Giniger, R. and E.M. Kosower, Crystallite clusters of syn-bimanes in low-temperature, low-polarity glasses 140 (1987) 205
Glasbeek, M., see P.M.H.L. Tegelaar 140 (1987) 1
Grabowska, A., see J. Sepioł 140 (1987) 607
Graener, H., R. Dohlus and A. Laubereau, Infrared double resonance spectroscopy of bromoform with picosecond pulses 140 (1987) 306
Graner, G., see D. Bailly 140 (1987) 381
Grev, R.S., see B.S. Thies 140 (1987) 355
Grieser, F., see C.J. Drummond 140 (1987) 493
Grimson, M.J., see F. Ould Kaddour 140 (1987) 51
Gupta, S., see C.P. Williams 140 (1987) 250

Halonen, L., see T. Carrington Jr. 140 (1987) 512
Hamilton, P.A., High-resolution laser spectroscopy of the $A\,^2\Pi_u$–$X\,^2\Pi_g$ system of Br_2^+ 140 (1987) 591

Hanson, R.C., see A. Anderson 140 (1987) 471
Healy, T.W., see C.J. Drummond 140 (1987) 493
Hensler, G., see H. Yersin 140 (1987) 157
Hermant, R.M., see B. Wegewijs 140 (1987) 587
Hirayama, S., F. Tanaka and K. Shobatake, Excess-energy-insensitive fluorescence decay of jet-cooled 9,10-dicyanoanthracene 140 (1987) 447
Hirota, N., see K. Fukui 140 (1987) 15
Hoff, A.J., see E.J. Lous 140 (1987) 620
Honda, K. and K. Kitaura, A new form for intermolecular potential energy functions 140 (1987) 53
Honma, K., see Y. Fujimura 140 (1987) 320
Howard, S.L., A.L. Rockwood, W. Trafton, B. Friedrich, S.G. Anderson and J.H. Futrell, Observation of fine-structure transitions in rare gas charge transfer at surprisingly low energies using a crossed-molecular beam technique 140 (1987) 385
Hüttner, W., H. Träuble, H.U. Wieland and H. Müller, The magnetic hyperpolarizability anisotropy of molecular hydrogen 140 (1987) 421
Huzinaga, S., see O. Matsuoka 140 (1987) 567

Iino, Y., T. Tani, M. Sakuda, H. Nakahara and K. Fukuda, Persistent hole burning of 1,4-disubstituted anthraquinone molecules 140 (1987) 76
Ikeda, N., K. Imagi, H. Masuhara, N. Nakashima and K. Yoshihara, Picosecond transient absorption spectral and kinetic study on benzophenone microcrystals by diffuse reflectance laser photolysis method 140 (1987) 281
Imagi, K., see N. Ikeda 140 (1987) 281
Isaka, H., see H. Takahashi 140 (1987) 90
Ito, M., see T. Kakinuma 140 (1987) 427

Jacoboni, C., see M. Eyal 140 (1987) 595
Jaegermann, P., F. Lendzian, G. Rist and K. Möbius, Time-resolved ESR and ENDOR during the photolysis of ω,ω-dimethoxy-ω-phenyl-acetophenone 140 (1987) 615
Jagannathan, N.R. and C.N.R. Rao, A ^{13}C NMR spectroscopic study of the phase transitions of alkane dicarboxylic acids in the solid state 140 (1987) 46
Jagannathan, N.R., Correlation between a structural parameter and the carboxyl ^{13}C chemical shielding tensors in compounds containing carboxylic carbon as a functional group 140 (1987) 548
Jalink, H., S. Stolte and D.H. Parker, Dependence of the BaO* product chemiluminescence spectrum on the N_2O reactant orientation in the $Ba + N_2O \rightarrow BaO^* + N_2$ reaction 140 (1987) 215
Jaszuński, M., A mixed numerical–analytical approach to the calculation of non-linear electric properties 140 (1987) 130
Jiang, X. and A. Campion, Chemical effects in surface-enhanced Raman scattering: pyridine chemisorbed on silver adatoms on Rh (100) 140 (1987) 95
Jørgensen, C.K., see M. Eyal 140 (1987) 595
Jortner, J., see M. Bixon 140 (1987) 626

Kajimoto, O., see Y. Fujimura 140 (1987) 320
Kakinuma, T., M. Fujii and M. Ito, Two-color fluorescence dip and ion dip spectra of jet-cooled benzene 140 (1987) 427
Kanata, H., S. Yamamoto and S. Saito, Microwave spectroscopic determination of the dipole moment of cyclopropenylidene, C_3H_2 140 (1987) 221

Karadakov, P. and O. Castaño, A note on time-dependent variational principles 140 (1987) 367
Kawazumi, H. and T. Ogawa, Absolute cross sections for the formation of CN(X, $v=0$) produced by controlled electron impact on BrCN and CH_3CN 140 (1987) 458
Keijzers, C.P., see G. Zwanenburg 140 (1987) 11
Kenkre, V.M. and D. Schmid, Consequences of initial condition analysis for the interpretation of transient grating observations 140 (1987) 238
Kettley, J.C., J.W. Oram, T.F. Palmer, J.P. Simons and A.T. Amos, Solvent shifts in van der Waals complexes of perylene 140 (1987) 286
Khmelinsky, V.E., see N.L. Lavrik 140 (1987) 582
Kim, Y.H., see Y.O. Koh 140 (1987) 243
Kitaura, K., see K. Honda 140 (1987) 53
Koh, Y.O., Y.H. Kim and H.K. Shin, Collisional energy transfer processes involving van der Waals bonds 140 (1987) 243
Kojima, H., Y. Sakai and H. Tagashira, Photo-injected electron current in cryogenic liquids: A comparison of liquid Ar, Ne, He, N_2, and H_2 near their boiling points 140 (1987) 631
Koningstein, J.A., H. Lemaire and G.H. Atkinson, Electronic Raman scattering from terbium gallium garnet excited with a picosecond laser 140 (1987) 154
Koot, W., see W.J. van der Zande 140 (1987) 175
Köppel, H., see W. Domcke 140 (1987) 133
Kosower, E.M., see R. Giniger 140 (1987) 205
Kotomin, E., see M. Causà 140 (1987) 120
Krümpelmann, T. and Ch. Ottinger, Vibrationally selective electronic energy transfer from metastable Xe atoms to N_2 and CO molecules 140 (1987) 142
Krupa, J.C., see G. Zwanenburg 140 (1987) 11
Kuan, C.-Y., see H.R. Mayne 140 (1987) 520
Kucar, J., H.-D. Meyer and L.S. Cederbaum, Time-dependent *rotated* Hartree approach 140 (1987) 525
Kunst, A.G.M., see B. Wegewijs 140 (1987) 587

Lai, N.T., see J. Courtieu 140 (1987) 565
Largo-Cabrerizo, A., see J.R. Flores 140 (1987) 26
Largo-Cabrerizo, J., see J.R. Flores 140 (1987) 26
Latajka, Z. and S. Scheiner, Three-dimensional spatial characteristics of primary and secondary basis set superposition error 140 (1987) 338
Laubereau, A., see H. Graener 140 (1987) 306
Lavrik, N.L. and V.E. Khmelinsky, A study of the time parameters of radical geminate pairs by stroboscopic magnetic field techniques 140 (1987) 582
Lazzeretti, P., see J.A. Tossell 140 (1987) 37
Legon, A.C., ^{79}Br-nuclear quadrupole coupling in the rotational spectrum of $HC^{15}N...D^{79}Br$: determination of the H(D)Br oscillation amplitudes and force constant 140 (1987) 315
Lelj, F., see P. Cristinziano 140 (1987) 401
Lemaire, H., see J.A. Koningstein 140 (1987) 154
Lendzian, F., see P. Jaegermann 140 (1987) 615
Lersch, W., see M. Bixon 140 (1987) 626
Levine, Y.K., see H. van Langen 140 (1987) 394
Li, Z., see J.S. Francisco 140 (1987) 531
Los, J., see W.J. van der Zande 140 (1987) 175

Lous, E.J. and A.J. Hoff, Absorbance-detected electron spin echo spectroscopy of non-radiative triplet states in zero field. An application to the primary donor of the photosynthetic bacterium *Rhodobacter sphaeroides* R-26 140 (1987) 620

Macdonald, R.G. and F.C. Sopchyshyn, Laser-induced photoionization of $Ar_2(^3\Sigma_u^+)$ at 308 nm 140 (1987) 476

Machara, N.P. and B.S. Ault, 193 nm excimer laser photochemistry in cryogenic matrices: synthesis of N-methylmethyleneimine 140 (1987) 411

Magallanes, C., see H. Mechetti 140 (1987) 189

Marks, J.P., see B.E. Williamson 140 (1987) 483

Martin, D., I. Barnes and K.H. Becker, Rate constant and products of the reaction $Cl+CS_2$ in air 140 (1987) 195

Masuhara, H., see N. Ikeda 140 (1987) 281

Matsuoka, O., Nuclear attraction integrals in the homogeneously charged sphere model of the atomic nucleus 140 (1987) 362

Matsuoka, O. and S. Huzinaga, Relativistic well-tempered Gaussian basis sets 140 (1987) 567

Mayer, I. and Á. Vibók, Intermolecular SCF method without BSSE: the closed-shell case 140 (1987) 558

Mayne, H.R., C.-Y. Kuan and R.J. Wolf, m_j rainbows in molecule–surface scattering 140 (1987) 520

McCurdy, C.W., see T.N. Rescigno 140 (1987) 232

McDonald, D.B., see A.M. Brearley 140 (1987) 270

McKellar, A.R.W. and M.J. Clouter, The intensity of the $R_0(0)$ transition of solid HD 140 (1987) 117

McLaughlin, E., see C.P. Williams 140 (1987) 250

Mechetti, H., A. Catenaccio and C. Magallanes, Critical number density in polar liquids: orientational polarizability of polar molecules in *n*-decanol/*n*-heptanol and *n*-heptanol/heptane systems 140 (1987) 189

Meyer, H.-D., see J. Kucar 140 (1987) 525

Michel-Beyerle, M.E., see M. Bixon 140 (1987) 626

Miller, W.H., see J.Z.H. Zhang 140 (1987) 329

Möbius, K., see P. Jaegermann 140 (1987) 615

Möller, K., see C.E. Blom 140 (1987) 489

Moreno, M., see J.A. Aramburu 140 (1987) 462

Morokuma, K., see K. Yamashita 140 (1987) 345

Morokuma, K., see I. Röeggen 140 (1987) 349

Morrow, M.E., K.M. White, C.J. Eckhardt and D.J. Sandman, Single-crystal reflection and Raman spectra of the polydiacetylene THD 140 (1987) 263

Mukherjee, S., see R. Roy 140 (1987) 210

Müller, H., see W. Hüttner 140 (1987) 421

Nakahara, H., see Y. Iino 140 (1987) 76

Nakashima, N., see N. Ikeda 140 (1987) 281

Netzer, F.P., see G. Rosina 140 (1987) 200

Niki, H., see I. Barnes 140 (1987) 451

Novak, I., see J.M. Benson 140 (1987) 311

Ochi, N. and S. Tsuchiya, Quantum beat spectroscopy of Zeeman splitting and level anti-crossing of rotationally selected acetylene ($\tilde{A}\,^1A_u\ 3\nu_3$) under weak magnetic fields 140 (1987) 20

Ogawa, T., see H. Kawazumi 140 (1987) 458

Ogilvie, J.F., An analytic representation of the radial dependence of adiabatic and non-adiabatic corrections from molecular spectra of diatomic molecules 140 (1987) 506

Ogoshi, H., see K. Fukui 140 (1987) 15
Ogrodnik, A., see M. Bixon 140 (1987) 626
Ohta, K., M. Shiotani and J. Sohma, ESR spectra and structures of radical cations of chlorotrifluoroethylene and bromotrifluoroethylene 140 (1987) 148
Ohya-Nishiguchi, H., see K. Fukui 140 (1987) 15
Ohzeki, T., see H. Takahashi 140 (1987) 90
Oram, J.W., see J.C. Kettley 140 (1987) 286
Ottinger, Ch., see T. Krümpelmann 140 (1987) 142
Ould Kaddour, F., M.J. Grimson and M. Silbert, Neutron scattering from polyelectrolyte solutions 140 (1987) 51

Palmer, T.F., see J.C. Kettley 140 (1987) 286
Parker, D.H., see H. Jalink 140 (1987) 215
Parsonage, N.G., see N.M. Clift 140 (1987) 572
Patel, R.C., see A.M. Brearley 140 (1987) 270
Peterson, J.R., see W.J. van der Zande 140 (1987) 175
Pisipati, V.G.K.M., see S.B. Rananavare 140 (1987) 255
Pottel, H., see H. van Langen 140 (1987) 394
Potts, A.W., see J.M. Benson 140 (1987) 311
Pulay, P., see K. Wolinski 140 (1987) 225

Quack, M., see T. Carrington Jr. 140 (1987) 512

Rahman, N.K., see A. Ferretti 140 (1987) 71
Rananavare, S.B., V.G.K.M. Pisipati and J.H. Freed, Nematic order near a tricritical nematic–smectic A phase transition 140 (1987) 255
Rangelov, G., see G. Rosina 140 (1987) 200
Rao, C.N.R., see N.R. Jagannathan 140 (1987) 46
Rehms, A.A. and P.R. Callis, Resolution of L_a and L_b bands in methyl indoles by two-photon spectroscopy 140 (1987) 83
Reisfeld, R., see M. Eyal 140 (1987) 595
Rescigno, T.N. and C.W. McCurdy, Multichannel electron–atom scattering calculations using local complex distortions of the energy spectrum 140 (1987) 232
Rettschnick, R.P.H., see B. Wegewijs 140 (1987) 587
Reuss, J., see M. Snels 140 (1987) 543
Rhodes, C.J. and M.C.R. Symons, The structure of the radical cation of ethylene oxide (oxirane) in low-temperature matrices 140 (1987) 611
Rist, G., see P. Jaegermann 140 (1987) 615
Rockwood, A.L., see S.L. Howard 140 (1987) 385
Röeggen, I., K. Morokuma and K. Yamashita, On the binding energy of the ground state of Be_2 140 (1987) 349
Roetti, C., see M. Causà 140 (1987) 120
Rosina, G., G. Rangelov, E. Bertel, H. Saalfeld and F.P. Netzer, Symmetry reduction of benzene on Rh(111) by coadsorbed Na 140 (1987) 200
Rosmus, P., see J. Senekowitsch 140 (1987) 375
Rossetti, C., see D. Bailly 140 (1987) 381

Roy, R. and S. Mukherjee, Fluorescence quenching of carbazole and indole by ethylenetrithiocarbonate 140 (1987) 210
Saalfeld, H., see G. Rosina 140 (1987) 200
Saito, S., see H. Kanata 140 (1987) 221
Sakai, Y., see H. Kojima 140 (1987) 631
Sakaino, Y., see H. Takahashi 140 (1987) 90
Sakuda, M., see Y. Iino 140 (1987) 76
Sandman, D.J., see M.E. Morrow 140 (1987) 263
Sato, S. and Y. Fujimura, Effects of vibronic dephasings on the polarization anisotropy decay in the time-resolved two-photon ionization of an isolated molecule 140 (1987) 169
Saunders, V.R., see M. Causà 140 (1987) 120
Scaffardi, L., G.M. Bilmes, D. Schinca and J.O. Tocho, Back isomerization from the excited state photoisomer in laser dye 3,3′-diethyloxadicarbocyanine iodide (DODCI) 140 (1987) 163
Schaefer III, H.F., see B.S. Thies 140 (1987) 355
Schatz, P.N., see B.E. Williamson 140 (1987) 483
Scheiner, S., see Z. Latajka 140 (1987) 338
Schiller, A., see M. Eyal 140 (1987) 595
Schinca, D., see L. Scaffardi 140 (1987) 163
Schmetzer, B., see T. Elsaesser 140 (1987) 293
Schmid, D., see V.M. Kenkre 140 (1987) 238
Schmidt, P.P. and L. Blum, A strategy to determine the transition state of an electron transfer reaction 140 (1987) 370
Sellers, H.L., see K. Wolinski 140 (1987) 225
Senekowitsch, J., S. Carter, H.-J. Werner and P. Rosmus, Vibrational radiative lifetimes in H_2Se and HCS^- 140 (1987) 375
Sepioł, J., H. Bulska and A. Grabowska, The dihydroxy derivative of 2,2′-bipyridyl as a new proton-transfer lasing dye 140 (1987) 607
Shin, H.K., see Y.O. Koh 140 (1987) 243
Shiotani, M., see K. Ohta 140 (1987) 148
Shobatake, K., see S. Hirayama 140 (1987) 447
Shushin, A.I., Magnetic field effects on the geminate recombination of anisotropic radicals 140 (1987) 111
Siemiarczuk, A. and W.R. Ware, Fluorescence decay kinetics of 1,3-di(1-pyrenyl)propane reinvestigated 140 (1987) 277
Silbert, M., see F. Ould Kaddour 140 (1987) 51
Silbey, R., see C.P. de Melo 140 (1987) 537
Simons, J.P., see J.C. Kettley 140 (1987) 286
Singer, K. and W. Smith, The classical and quantum-mechanical free energy of solid (Lennard-Jones) argon 140 (1987) 406
Smith, I.W.M., see R.J. Frost 140 (1987) 499
Smith, W., see K. Singer 140 (1987) 406
Snels, M. and J. Reuss, Induction effects on IR-predissociation spectra of $(SF_6)_2$, $(SiF_4)_2$ and $(SiH_4)_2$ 140 (1987) 543
Snyder, P.A., see B.E. Williamson 140 (1987) 483
Sohma, J., see K. Ohta 140 (1987) 148
Sopchyshyn, F.C., see R.G. Macdonald 140 (1987) 476
Stahl, D., see J.-C. Bollinger 140 (1987) 579

Stolte, S., see H. Jalink 140 (1987) 215
Suenram, R.D., see J. Zozom 140 (1987) 64
Sumitani, M., Y. Takagi and K. Yoshihara, Direct observation of radiationless transitions from the excited to ground electronic state under collision-free conditions 140 (1987) 468
Suzer, S. and L. Andrews, IR spectra of complexes of Na, K and Cs with H_2O in solid argon 140 (1987) 300
Symons, M.C.R., see C.J. Rhodes 140 (1987) 611

Tagashira, H., see H. Kojima 140 (1987) 631
Takagi, Y., see M. Sumitani 140 (1987) 468
Takahashi, H., K. Yoda, H. Isaka, T. Ohzeki and Y. Sakaino, Resonance Raman studies of transient species in the photochromism of 1′,3′,3′-trimethylspiro-[2H-1-benzopyran-2,2′-indoline] 140 (1987) 90
Tanaka, F., see S. Hirayama 140 (1987) 447
Tani, T., see Y. Iino 140 (1987) 76
Tegelaar, P.M.H.L., M. Glasbeek and A.H. Zewail, Time-resolved spin diffusion of quasi-linear excitons in disordered solid DBN 140 (1987) 1
Terazima, M., Extremely fast radiationless transition from the triplet state of 9,10-diazaphenanthrene 140 (1987) 6
Thies, B.S., R.S. Grev and H.F. Schaefer III, Dimethyldisilyne: a fleetingly observed species incorporating a triple bond? 140 (1987) 355
Tocho, J.O., see L. Scaffardi 140 (1987) 163
Tossell, J.A. and P. Lazzeretti, Ab initio calculation of the ^{31}P NMR shielding tensor for the series $PO_aF_b^{-(2a+b-5)}$, $a+b=4$ and for HPO_4^{2-} 140 (1987) 37
Trafton, W., see S.L. Howard 140 (1987) 385
Träuble, H., see W. Hüttner 140 (1987) 421
Tsuchiya, S., see N. Ochi 140 (1987) 20
Tuckett, R.P., see R.N. Dixon 140 (1987) 553

Ullrich, J., A. Angerhofer, J.U. von Schütz and H.C. Wolf, Zero-field absorption ODMR of reaction centers of *Rhodobacter sphaeroides* at temperatures between 4.2 and 75 K 140 (1987) 416

Van der Zande, W.J., W. Koot, J.R. Peterson and J. Los, Charge exchange of O_2^+ with Cs: spectroscopy and predissociation pathways for the Π_g Rydberg states of O_2 140 (1987) 175
Van Langen, H., Y.K. Levine, M. Ameloot and H. Pottel, Ambiguities in the interpretation of time-resolved fluorescence anisotropy measurements on lipid vesicle systems 140 (1987) 394
Van Lonkhuyzen, H. and J.F.M. Aarts, Optical emission of GeF_4^+ ($\tilde{D}$) produced by ion impact ionisation of GeF_4 140 (1987) 434
Verhoeven, J.W., see B. Wegewijs 140 (1987) 587
Verkhovtseva, E.T., E.A. Bondarenko and Yu.S. Doronin, Cluster size effects in VUV radiation spectra of argon and krypton supersonic jets 140 (1987) 181
Vibók, Á., see I. Mayer 140 (1987) 558
Von Schütz, J.U., see J. Ullrich 140 (1987) 416

Wallington, T.J., see W. Braun 140 (1987) 441
Ware, W.R., see A. Siemiarczuk 140 (1987) 277
Wegewijs, B., R.M. Hermant, J.W. Verhoeven, A.G.M. Kunst and R.P.H. Rettschnick, Determination of the barrier to intramolecular exciplex formation in a jet-cooled, bichromophoric molecule 140 (1987) 587

Werbelow, L., see J. Courtieu 140 (1987) 565
Werner, H.-J., see J. Senekowitsch 140 (1987) 375
White, K.M., see M.E. Morrow 140 (1987) 263
Wieland, H.U., see W. Hüttner 140 (1987) 421
Williams, C.P., S. Gupta and E. McLaughlin, Computer simulation using a non-spherical reference potential for polar fluids 140 (1987) 250
Williams, I.H., see J.S. Francisco 140 (1987) 531
Williamson, B.E., M.E. Boyle, P.N. Schatz, J.P. Marks and P.A. Snyder, Vacuum ultraviolet MCD and absorption spectra of zinc phthalocyanine isolated in an Ar matrix using synchrotron radiation 140 (1987) 483
Wimperis, S. and G. Bodenhausen, Relaxation-allowed transfer of coherence in NMR between spins which are not scalar coupled 140 (1987) 41
Wolf, H.C., see J. Ullrich 140 (1987) 416
Wolf, R.J., see H.R. Mayne 140 (1987) 520
Wolinski, K., H.L. Sellers and P. Pulay, Consistent generalization of the Møller–Plesset partitioning to open-shell and multiconfigurational SCF reference states in many-body perturbation theory 140 (1987) 225
Wright, J.C., see R.J. Carlson 140 (1987) 101
Wu, K.T., Model calculations for the predissociative excitation of CS_2 140 (1987) 31

Yamamoto, S., see H. Kanata 140 (1987) 221
Yamashita, K. and K. Morokuma, Ab initio calculations of the dipole moments in low-lying electronic states of the CCN radical 140 (1987) 345
Yamashita, K., see I. Röeggen 140 (1987) 349
Yersin, H., E. Gallhuber and G. Hensler, Zero-phonon and vibronic structure of $[Os(bpy)_3]^{2+}$ doped into single-crystal $[Ru(bpy)_3](ClO_4)_2$ 140 (1987) 157
Yoda, K., see H. Takahashi 140 (1987) 90
Yoshihara, K., see N. Ikeda 140 (1987) 281
Yoshihara, K., see M. Sumitani 140 (1987) 468
Yvernault, T., see J.-C. Bollinger 140 (1987) 579

Zewail, A.H., see P.M.H.L. Tegelaar 140 (1987) 1
Zhang, J.Z.H. and W.H. Miller, New method for quantum reactive scattering, with applications to the 3-D $H+H_2$ reaction 140 (1987) 329
Zozom, J., C.W. Gillies, R.D. Suenram and F.J. Lovas, Microwave detection of the primary ozonide of ethylene in the gas phase 140 (1987) 64
Zwanenburg, G., C.P. Keijzers, E. de Boer and J.C. Krupa, Simulation of EPR spectra of $ThBr_4:Pa^{4+}$ in the incommensurable phase 140 (1987) 11